



SPILL STATION AUSTRALIA
1 Blackfriar Pl
Wetherill Park
NSW 2164
Ph: 1300 66 42 66
Fax: 02 9757 4249
E-mail: sales@spillstation.com.au

MATERIAL SAFETY DATA SHEET

Date of issue: August 2009

SECTION 1 — PRODUCT IDENTIFICATION

Product Name : Meltblown Polypropylene Fabric for Absorbents
Chemical Description : Polypropylene Based Nonwoven Fabric

SECTION 2 — HAZARDOUS INGREDIENT INFORMATION

This product is not hazardous.

SECTION 3 — FIRST AID MEASURES

Eyes :

If irritation occurs, flush eyes immediately with large amounts of water for at least 20 minutes and continue flushing until irritation subsides. If redness or irritation persists, contact a physician.

Skin :

No hazard in normal use.

If any, flush with large amounts of water, use soap if available.

For hot product, immediately immerse in or flush the affected area with large amount of water to dissipate heat. Cover with clean cotton sheeting or gauze and get prompt medical attention no attempt should be made to remove material from skin to remove contaminated clothing, as the damaged flesh can be easily torn.

Inhalation :

N.A.

Ingestion :

N.A.

SECTION 4 — FIRE & EXPLOSION HAZARD

FLASHPOINT : > 250 degree C

FLAMMABLE LIMITS : N.A

AUTOIGNITION TEMPERATURE : 435 degree C



SPILL STATION AUSTRALIA
1 Blackfriar Pl
Wetherill Park
NSW 2164
Ph: 1300 66 42 66
Fax: 02 9757 4249
E-mail: sales@spillstation.com.au

GENERAL HAZARD

Solid material, may burn at or above the flashpoint, and airborne dust may explode if ignited.

Toxic gases will form upon combustion.

FIRE FIGHTING

Use water spray to cool fire exposed surface and protect personnel.

Isolate "fuel" supply from fire.

Respiratory and eye protection required for fire fighting personnel.

DECOMPOSITION PRODUCTS UNDER FIRE CONDITIONS

Oxygen-lean conditions may produce carbon monoxide and irritating smoke.

SECTION 5 — ACCIDENTAL RELEASE

Steps to be taken in case material is released or spilled : N.A.

SECTION 6 — PHYSICAL AND CHEMICAL PROPERTIES

Melting Point : 155-165 degree C

Specific Gravity (Water = 1) : 0.91

Solubility in Water : Insoluble

Vapor Pressure (Air = 1) : N.A.

Vapor Density : N.A.

Evaporation Rate : N.A.

Boiling Point : N.A.

Freezing Point : N.A.

PH : N.A.

Hydrophobic & Oil Absorbable

SECTION 7 — STABILITY AND REACTIVITY

General Reactivity : Stable

Incompatibility (materials to avoid) : Temperatures over 250 degree C may cause resin degradation.

Hazardous Polymerization : N.A.

Hazardous Decomposition Products : None.

SECTION 8 — TOXICOLOGICAL INFORMATION

Reported Human Effects

No primary dermal irritation human patch tests have been carried out with this product.



SPILL STATION AUSTRALIA
1 Blackfriar Pl
Wetherill Park
NSW 2164
Ph: 1300 66 42 66
Fax: 02 9757 4249
E-mail: sales@spillstation.com.au

Reported Animal Effects

No animal toxicity studies have been carried out with this product.

SECTION 9 — TRANSPORTATION

No special labels are required.

SECTION 10 — STORAGE

Avoid storing near strong oxidizers.

Avoid sources of ignition.

Use caution when stacking to avoid unstable conditions.

Store at ambient temperature.

Store at atmospheric pressure.

Store in a sprinkler system warehouse.

SECTION 11 — REGULATORY INFORMATION

None.

SECTION 12 - OTHER INFORMATION

12.1 OTHER INFORMATION

12.2 CONTACT POINTS

ORGANISATION	LOCATION	TELEPHONE	ASK FOR
Spill Station Aust. Pty Limited Poisons Information Centre	Wetherill Park NSW Westmead	1300 66 42 66 131126	Technical Officer

DISCLAIMER:

The information given in this data sheet is to the best of our knowledge, true and accurate, but any recommendations or suggestions that may be made are without guarantee, since the conditions of use are beyond our control. The information and recommendations offered are for the user's consideration and is the user's responsibility to satisfy themselves that they are suitable and complete for their purpose. We recommend that the safety and handling information presented in this data sheet be passed on, in an appropriate format, to your customers and handlers.